

GEBERIT PRODUCT PORTFOLIO

# WE MANAGE WATERFLOWS

DESIGN  
MEETS  
FUNCTION



## 1905

Albert Emil Gebert succeeds in producing the first wooden flushing cistern that is lined with lead and equipped with leaden fittings, under the brand name "Phoenix".

## 1964

Introduction of the first concealed cistern.

## 2004

Geberit takes over the German Mapress Group, the largest acquisition in company history.

## 2014

The Geberit concealed cistern is celebrating its 50th birthday.

## 2017

Introduction of first Geberit branded ceramics.

## 1874

Caspar Melchior Albert Gebert (1850–1909) opens a plumber's shop in the Old Town of Rapperswil (CH). At the turn of the century, his two sons Albert Emil and Leo join the company and start the production of wooden flushing cisterns.

## 1952

The first PVC flushing cistern is produced.

## 1999

In the year of the 125th anniversary of the company's founding, Geberit succeeds in being listed on the stock market.

## 2005

Formation of Geberit International Sales AG.

## 2015

Acquisition of the Finnish Sanitec Group with ceramic brands like Keramag, Kolo or Twyford. A completely new chapter for Geberit.

## 2019

Launch of the revolutionary Geberit SuperTube System.

# EVENTFUL HISTORY

Since the day it all began in 1874 in Switzerland, we have been defined by our experiences. Geberit has been among the pioneers of the industry and is still setting trends with comprehensive system solutions. With approximately 12,000 employees in around 50 countries, Geberit stands for innovation, durability and ecological efficiency.

# FROM BEGINNING TO END

## GEBERIT SYSTEMS FOR THE WHOLE BUILDING

Geberit systems deliver solutions for water supply, use, flushing and drainage.



### 1 SUPPLY

Geberit supply systems are easy to install, have high pressure and temperature resistance and low noise transmission.

### 2 USE

Geberit owns several ceramic brands that meet all the requirements regarding design, longevity and hygiene. Geberit sanitary systems have continually set trends for almost 150 years.

### 3 BUILDING DRAINAGE

Geberit waste water drainage systems meet all the expectations regarding an easy installation, reliability, capacity and soundproofing properties.

### 4 ROOF DRAINAGE

Geberit roof drainage systems cover solutions for domestic, industrial and commercial applications.

## ALL INCLUSIVE

Geberit has got more to offer than only products. Through constant research and development Geberit makes sure that their technology and design not only meets the standards but is state-of-the art.

Besides the product range, Geberit offers a lot more services:



**CERAMICS & FURNITURE**



**SANITARY SYSTEMS**



**PIPING SYSTEMS**



**LOGISTIC SERVICES**



**SUPPORT MATERIAL**



**TRAININGS**



**SPECS & DESIGN**



**TECHNICAL SUPPORT**



**AFTER SALES SERVICE**

# DESIGN MEETS FUNCTION

High quality ceramics and stylish furnishings create a unique ambiance. Sophisticated systems and innovative designs ensure absolute dependability. Self-supporting mounting elements for all plumbing objects deliver safety and stability.



## GEBERIT SHOWER DRAINS

Smoothly integrated in the floor or the wall: the Geberit shower drains add a lot to the modern look of a bathroom.



## GEBERIT ACTUATOR PLATES

A wide range of actuator plates provides designs for every taste and for every surrounding: in private, semi-public or public bathrooms.



## GEBERIT AQUACLEAN

The toilet that cleans you with water. But the Geberit AquaClean offers a lot more than just a shower function.



#### **GEBERIT FURNITURE**

Be it a mirror, a shelf or a cabinet: Geberit offers a lot of beautiful designs for bathroom furniture. All made from water-resistant material.



#### **GEBERIT FLOOR DRAINS**

The Geberit floor drain is more compact than many conventional floor drains. However, this does not affect its attractive appearance or its discharge rate.



#### **GEBERIT CERAMICS**

Washbasins, toilet ceramics, bidets, urinals: everything available with Geberit. The whole bathroom appliances from one source.

DESIGN  
MEETS  
FUNCTION

# KNOW-HOW INSTALLED

The piping systems of Geberit stand for know-how in the field of sanitary technology. From supply systems for residential, industry and public buildings, to drainage systems for roofs and buildings, Geberit provides a huge range of products and state-of-the-art technological solutions in the area of hydraulics, fire protection, sound insulation, reliability and environmental properties.



## GEBERIT MEPLA

The flexible multi-layer pipes are really easy to install and to be used for drinking water installations and for radiator connections.



## GEBERIT HDPE

The product for all seasons: it is a highly flexible, resistant and long-lasting material that can be easily prefabricated



### **GEBERIT PREWALL INSTALLATION**

The Prewall Installation can be prefabricated to develop customised solutions for almost any construction project in front of the wall. Furthermore, the installation keeps the sound away from the walls.



### **GEBERIT MAPRESS**

This metal piping system that comes in several different compositions is made for all sorts of supply installations: for domestic but also industrial applications.

**KNOW  
HOW  
INSTALLED**

# CONTENTS

## 10 CONCEALED CISTERNS



## 13 ACTUATOR PLATES



## 26 GEBERIT AQUACLEAN



## 34 MONOLITH



**36**

SHOWER  
DRAINS



**45**

PUBLIC  
SOLUTIONS



**55**

GEBERIT  
BATHROOM  
COLLECTION



**60**

WASTE WATER  
DRAINAGE SYSTEMS



**62**

WATER SUPPLY  
SYSTEMS



→ Geberit Smyle WC with Sigma50 actuator plate

## GEBERIT CONCEALED SOLUTIONS

# THE TRADITION OF HIDING CISTERNS

The Geberit concealed cistern is the heart of more than 70 million concealed installations in the bathroom. Every detail of this product is ingenious and has been proven a million times over. Plumbers and end users have trusted polyethylene cisterns from Geberit for more than 55 years.



### BEAUTIFUL DESIGN

The actuator plates are the eye-catchers in your bathroom. A concealed solution with a wall-hung WC offers a lot of design options for your bathroom.



### INNOVATIVE AND FUNCTIONAL DESIGN

Some of the actuator plates are available in an easy-to-clean coated option, some in a vandal-proof, screwable version and some can be combined with an odour extraction unit.



### WITHSTANDING HEAVY LOAD

The Geberit wall-hung solutions are designed and tested to withstand weights of 400 kg.



### SAVING WATER

The water consumption can be sustainably reduced with a Geberit dual flush actuation for the WC. The smaller button flushes with 3 litres, the bigger one with 6 litres and is easily reduced to 4.5 litres.



### OPENING SPACE

As soon as the sanitary technology hides behind the wall, a new feeling of space is created. A wall-hung solution makes your bathroom look bigger.



### EASY TO CLEAN

The fewer edges, joints and corners, the simpler to clean and more hygienic. Particularly in the WC area, it is better when ceramic appliances are wall-mounted to keep the floor space open.



### TOOL-FREE MAINTENANCE

To maintain the actuator plates and the cisterns you do not need tools.



### PREMIUM QUALITY

All products from Geberit are known for their very high reliability and durability. This not only ensures safe and trouble-free function, but also reduces maintenance costs. Proven Swiss technology for decades.

### EVENTFUL HISTORY, CONSTANT INNOVATION.

Since 1964 Geberit has been working on product improvements and has constantly developed the quality and functionality of the cisterns. Not only has the product itself moved on, but so too have the product benefits.



↑  
Introducing the first concealed cistern in 1964



↑  
Current state of modern technology

# GEBERIT SIGMA CONCEALED CISTERNS


## Sigma Duofix

Thickness: 120mm  
Height: 1,135mm

- **224.214.00.1** 6/3L (HK Project)
- **224.217.00.1** 6/3L
- **224.224.00.1** 4.5/3L

Thickness: 120mm  
Height: 1,170mm


- **224.229.00.1** 4.5/3L (ID)



## Sigma Concealed Cistern

Thickness: 120mm  
Height: 1,080mm


- **224.320.00.1** 6/3L (HK Project)
- **224.326.00.1** 4.5/3L



# GEBERIT SIGMA ACTUATOR PLATES

## Sigma80

Flush technology:  
dual flush, infrared



→ **116.090.SG.6**  
Plate: Black glass  
Material: Glass




→ **116.090.SM.6**  
Plate: Reflective glass  
Material: Glass

\* Installation set required -  
→ Art no: 115.861.00.6  
Extension cable -  
→ Art no: 244.094.00.1

## Sigma70

Flush technology:  
dual flush



→ **115.622.SI.1**  
Plate: White  
Material: Glass



→ **115.622.SJ.1**  
Plate: Black  
Material: Glass



→ **115.622.JK.1**  
Plate: Lava  
Material: Glass



→ **115.622.JL.1**  
Plate: Sand grey  
Material: Glass



→ **115.622.QB.1**  
Plate: Red gold Brushed,  
Easy-to-clean coated  
Material: Stainless steel



→ **115.622.QD.1**  
Plate: Black chrome Brushed,  
Easy-to-clean coated  
Material: Stainless steel




→ **115.622.QF.1**  
Plate: Brass-coloured Brushed,  
Easy-to-clean coated  
Material: Stainless steel



→ **115.622.14.1**  
Plate: Black matt,  
Easy-to-clean coated  
Material: Stainless steel



→ **115.622.FW.1**  
Plate: Brushed,  
Easy-to-clean coated  
Material: Stainless steel




→ **115.622.JT.1**  
Plate: White matt,  
Easy-to-clean coated  
Material: Stainless steel

\* Bright chrome cover frame  
→ Art no: 115.623.21.1

\* Black chrome cover frame  
→ Art no: 115.623.QC.1

## Sigma60

Flush technology:  
dual flush



→ **115.640.GH.1**  
Buttons: Brushed chrome,  
Easy-to-clean coated  
Frame: Bright chrome  
Stripes: Bright chrome  
Material: Die-cast zinc



→ **115.640.SI.1**  
Buttons: White glass  
Frame: Bright chrome  
Stripes: Mirrored  
Material: Glass, Die-cast zinc



→ **115.640.SJ.1**  
Buttons: Black glass  
Frame: Bright chrome  
Stripes: Mirrored  
Material: Glass, Die-cast zinc



→ **115.640.JK.1**  
Buttons: Lava glass  
Frame: Bright chrome  
Stripes: Mirrored  
Material: Glass, Die-cast zinc



→ **115.640.JL.1**  
Buttons: Sand grey glass  
Frame: Bright chrome  
Stripes: Mirrored  
Material: Glass, Die-cast zinc


\* Installation set required -  
→ Art no: 243.168.00.1

\* Brushed chrome cover frame:  
→ Art no: 115.641.GH.1 (Easy-to-clean)  
→ Art no: 115.641.21.1

# GEBERIT SIGMA ACTUATOR PLATES

## Sigma50

Flush technology:  
dual flush



→ **115.670.00.2**  
Plate: Customisable  
Buttons: Red gold,  
Easy-to-clean coated  
Material: Die-cast zinc



→ **115.671.00.2**  
Plate: Customisable  
Buttons: Black chrome,  
Easy-to-clean coated  
Material: Die-cast zinc



→ **115.672.00.2**  
Plate: Customisable  
Buttons: Brass,  
Easy-to-clean coated  
Material: Die-cast zinc



→ **115.788.00.2**  
Plate: Customisable  
Buttons: Chrome,  
Easy-to-clean coated  
Material: Die-cast zinc



→ **115.670.11.2**  
Plate: White  
Buttons: Red gold,  
Easy-to-clean coated  
Material: Die-cast zinc, Plastic



→ **115.671.11.2**  
Plate: White  
Buttons: Black chrome,  
Easy-to-clean coated  
Material: Die-cast zinc, Plastic



→ **115.672.11.2**  
Plate: White  
Buttons: Brass,  
Easy-to-clean coated  
Material: Die-cast zinc, Plastic



→ **115.788.11.2**  
Plate: White alpine  
Buttons: Chrome,  
Easy-to-clean coated  
Material: Die-cast zinc, Plastic



→ **115.788.SD.2**  
Plate: Smoked glass reflective  
Buttons: Chrome,  
Easy-to-clean coated  
Material: Die-cast zinc, Glass



→ **115.788.JK.2**  
Plate: Lava glass  
Buttons: Chrome,  
Easy-to-clean coated  
Material: Die-cast zinc, Glass



→ **115.788.JL.2**  
Plate: Sand grey glass  
Buttons: Chrome,  
Easy-to-clean coated  
Material: Die-cast zinc, Glass



→ **115.670.DW.2**  
Plate: Black  
Buttons: Red gold,  
Easy-to-clean coated  
Material: Die-cast zinc, Plastic



→ **115.788.TG.2**  
Plate: Sand glass  
Buttons: Chrome,  
Easy-to-clean coated  
Material: Die-cast zinc, Glass



→ **115.671.DW.2**  
Plate: Black  
Buttons: Black chrome,  
Easy-to-clean coated  
Material: Die-cast zinc, Plastic



→ **115.672.DW.2**  
Plate: Black  
Buttons: Brass,  
Easy-to-clean coated  
Material: Die-cast zinc, Plastic



→ **115.788.DW.2**  
Plate: Jet black RAL 9005  
Buttons: Chrome,  
Easy-to-clean coated  
Material: Die-cast zinc, Plastic



→ **115.670.JM.2**  
Plate: Mustang slate  
Buttons: Red gold,  
Easy-to-clean coated  
Material: Die-cast zinc, Slate



→ **115.671.JM.2**  
Plate: Mustang slate  
Buttons: Black chrome,  
Easy-to-clean coated  
Material: Die-cast zinc, Slate



→ **115.672.JM.2**  
Plate: Mustang slate  
Buttons: Brass,  
Easy-to-clean coated  
Material: Die-cast zinc, Slate



→ **115.788.JM.2**  
Plate: Mustang slate  
Buttons: Chrome,  
Easy-to-clean coated  
Material: Die-cast zinc, Slate



→ **115.670.JV.2**  
Plate: Concrete  
Buttons: Red gold,  
Easy-to-clean coated  
Material: Die-cast zinc, Concrete



→ **115.671.JV.2**  
Plate: Concrete  
Buttons: Black chrome,  
Easy-to-clean coated  
Material: Die-cast zinc, Concrete



→ **115.672.JV.2**  
Plate: Concrete  
Buttons: Brass,  
Easy-to-clean coated  
Material: Die-cast zinc, Concrete



→ **115.788.JV.2**  
Plate: Concrete  
Buttons: Chrome,  
Easy-to-clean coated  
Material: Die-cast zinc, Concrete



→ **115.670.JX.2**  
Plate: Black walnut  
Buttons: Red gold,  
Easy-to-clean coated  
Material: Die-cast zinc, Wood



→ **115.671.JX.2**  
Plate: Black walnut  
Buttons: Black chrome,  
Easy-to-clean coated  
Material: Die-cast zinc, Wood



→ **115.672.JX.2**  
Plate: Black walnut  
Buttons: Brass,  
Easy-to-clean coated  
Material: Die-cast zinc, Wood



→ **115.788.JX.2**  
Plate: Black walnut  
Buttons: Chrome,  
Easy-to-clean coated  
Material: Die-cast zinc, Wood



→ **115.788.GH.2**  
Plate: Brushed chrome  
Buttons: Chrome,  
Easy-to-clean coated  
Material: Die-cast zinc, Brass



→ **115.788.21.2**  
Plate: Bright chrome  
Buttons: Chrome,  
Easy-to-clean coated  
Material: Die-cast zinc, Brass



NEW

→ **115.670.QB.2**  
Plate: Red gold  
Buttons: Red gold,  
Easy-to-clean coated  
Material: Die-cast zinc, Brass



NEW

→ **115.671.QD.2**  
Plate: Black chrome  
Buttons: Black chrome,  
Easy-to-clean coated  
Material: Die-cast zinc, Brass




NEW

→ **115.672.QF.2**  
Plate: Brass-coloured  
Buttons: Brass,  
Easy-to-clean coated  
Material: Die-cast zinc, Brass

# GEBERIT SIGMA ACTUATOR PLATES

## Sigma21

Flush technology:  
dual flush



→ **115.650.00.1**  
Plate & Buttons: Customisable  
Ring: Red gold  
Material: Die-cast zinc



→ **115.651.00.1**  
Plate & Buttons: Customisable  
Ring: Black chrome  
Material: Die-cast zinc



→ **115.652.00.1**  
Plate & Buttons: Customisable  
Ring: Brass  
Material: Die-cast zinc



→ **115.884.00.1**  
Plate & Buttons: Customisable  
Ring: Bright chrome  
Material: Die-cast zinc



→ **115.650.JM.1**  
Plate & Buttons: Mustang slate  
Ring: Red gold  
Material: Die-cast zinc, Slate



→ **115.651.JM.1**  
Plate & Buttons: Mustang slate  
Ring: Black chrome  
Material: Die-cast zinc, Slate




→ **115.652.JM.1**  
Plate & Buttons: Mustang slate  
Ring: Brass  
Material: Die-cast zinc, Slate



→ **115.884.JM.1**  
Plate & Buttons: Mustang slate  
Ring: Bright chrome  
Material: Die-cast zinc, Slate



→ **115.650.JV.1**  
Plate & Buttons: Concrete  
Ring: Red gold  
Material: Die-cast zinc, Concrete



→ **115.651.JV.1**  
Plate & Buttons: Concrete  
Ring: Black chrome  
Material: Die-cast zinc, Concrete



→ **115.652.JV.1**  
Plate & Buttons: Concrete  
Ring: Brass  
Material: Die-cast zinc, Concrete



→ **115.884.JV.1**  
Plate & Buttons: Concrete  
Ring: Bright chrome  
Material: Die-cast zinc, Concrete



→ **115.650.JX.1**  
Plate & Buttons: Black walnut  
Ring: Red gold  
Material: Die-cast zinc, Wood



→ **115.651.JX.1**  
Plate & Buttons: Black walnut  
Ring: Black chrome  
Material: Die-cast zinc, Wood



→ **115.652.JX.1**  
Plate & Buttons: Black walnut  
Ring: Brass  
Material: Die-cast zinc, Wood



→ **115.884.JX.1**  
Plate & Buttons: Black walnut  
Ring: Bright chrome  
Material: Die-cast zinc, Wood



→ **115.650.SI.1**  
Plate & Buttons: White  
Ring: Red gold  
Material: Die-cast zinc, Glass



→ **115.651.SI.1**  
Plate & Buttons: White  
Ring: Black chrome  
Material: Die-cast zinc, Glass



→ **115.652.SI.1**  
Plate & Buttons: White  
Ring: Brass  
Material: Die-cast zinc, Glass



→ **115.884.SI.1**  
Plate & Buttons: White  
Ring: Bright chrome  
Material: Die-cast zinc, Glass



→ **115.650.SJ.1**  
Plate & Buttons: Black  
Ring: Red gold  
Material: Die-cast zinc, Glass



→ **115.651.SJ.1**  
Plate & Buttons: Black  
Ring: Black chrome  
Material: Die-cast zinc, Glass



→ **115.652.SJ.1**  
Plate & Buttons: Black  
Ring: Brass  
Material: Die-cast zinc, Glass



→ **115.884.SJ.1**  
Plate: Black  
Ring: Bright chrome  
Material: Die-cast zinc, Glass



→ **115.884.JK.1**  
Plate & Buttons: Lava glass  
Ring: Bright chrome  
Material: Die-cast zinc, Glass



→ **115.884.JL.1**  
Plate & Buttons: Sand grey glass  
Ring: Bright chrome  
Material: Die-cast zinc, Glass



→ **115.884.TG.1**  
Plate & Buttons: Sand glass  
Ring: Bright chrome  
Material: Die-cast zinc, Glass



→ **115.761.00.1**  
Plate & Buttons: Coral orange  
Ring: Bright chrome  
Material: Die-cast zinc, Decorative laminate



→ **115.761.00.2**  
Plate & Buttons: Abyss blue  
Ring: Bright chrome  
Material: Die-cast zinc, Decorative laminate



→ **115.761.00.3**  
Plate & Buttons: Coral pink  
Ring: Bright chrome  
Material: Die-cast zinc, Decorative laminate



→ **115.761.00.4**  
Plate & Buttons: Camel  
Ring: Bright chrome  
Material: Die-cast zinc, Decorative laminate



→ **115.761.00.5**  
Plate & Buttons: Beige  
Ring: Bright chrome  
Material: Die-cast zinc, Decorative laminate



→ **115.761.00.6**  
Plate & Buttons: Grey linen  
Ring: Bright chrome  
Material: Die-cast zinc, Decorative laminate



→ **115.761.00.7**  
Plate & Buttons: Dark Rock  
Ring: Bright chrome  
Material: Die-cast zinc, Decorative laminate




→ **115.761.00.1**  
Plate & Buttons: Rouge leather  
Ring: Bright chrome  
Material: Die-cast zinc, Decorative laminate


# GEBERIT SIGMA ACTUATOR PLATES

## Sigma30

Flush technology:  
dual flush




→ **115.883.01.1**  
Plate & Buttons: Matt white  
Stripes: White  
Material: Plastic,  
Easy-to-clean coated



→ **115.883.16.1**  
Plate & Buttons: Matt black  
Stripes: Black  
Material: Plastic,  
Easy-to-clean coated



→ **115.883.JT.1**  
Plate & Buttons: Matt white  
Stripes: Bright chrome  
Material: Plastic,  
Easy-to-clean coated




→ **115.883.11.1**  
Plate & Buttons: White  
Stripes: Matt white  
Material: Plastic,  
Easy-to-clean coated




→ **115.883.14.1**  
Plate & Buttons: Matt black  
Stripes: Bright chrome  
Material: Plastic,  
Easy-to-clean coated



→ **115.883.DW.1**  
Plate & Buttons: Black  
Stripes: Matt Black  
Material: Plastic,  
Easy-to-clean coated



→ **115.883.JQ.1**  
Plate & Buttons: Matt chrome  
Stripes: Bright chrome  
Material: Plastic,  
Easy-to-clean coated



→ **115.883.KH.1**  
Plate & Buttons: Bright chrome  
Stripes: Matt chrome  
Material: Plastic



→ **115.883.KK.1**  
Plate & Buttons: White  
Stripes: Gold  
Material: Plastic




→ **115.883.KJ.1**  
Plate & Buttons: White  
Stripes: Bright chrome  
Material: Plastic



→ **115.883.KM.1**  
Plate & Buttons: Black  
Stripes: Bright chrome  
Material: Plastic

## Sigma20

Flush technology:  
dual flush



→ **115.882.KK.1**  
Plate & Buttons: White  
Ring: Gold  
Material: Plastic



→ **115.882.KH.1**  
Plate & Buttons: Bright chrome  
Ring: Matt chrome  
Material: Plastic



→ **115.882.KM.1**  
Plate & Buttons: Black  
Ring: Bright chrome  
Material: Plastic



→ **115.882.KJ.1**  
Plate & Buttons: White  
Ring: Bright chrome  
Material: Plastic



→ **115.882.DW.1**  
Plate & Buttons: Black  
Ring: Matt black  
Material: Plastic,  
Easy-to-clean coated



→ **115.882.01.1**  
Plate & Buttons: Matt white  
Ring: White  
Material: Plastic,  
Easy-to-clean coated



→ **115.882.16.1**  
Plate & Buttons: Matt black  
Ring: Black  
Material: Plastic,  
Easy-to-clean coated



→ **115.882.JT.1**  
Plate & Buttons: Matt white  
Ring: Bright chrome  
Material: Plastic,  
Easy-to-clean coated



→ **115.882.11.1**  
Plate & Buttons: White  
Ring: Matt white  
Material: Plastic,  
Easy-to-clean coated



→ **115.882.14.1**  
Plate & Buttons: Matt black  
Ring: Bright chrome  
Material: Plastic,  
Easy-to-clean coated



→ **115.882.JQ.1**  
Plate & Buttons: Matt chrome  
Ring: Bright chrome  
Material: Plastic,  
Easy-to-clean coated



→ **115.882.SN.1**  
Plate & Buttons: Stainless  
steel brushed  
Ring: Polished  
Material: Stainless steel  
brushed, Easy-to-clean  
coated




→ **115.889.SN.1** (lockable)  
Plate & Buttons: Stainless  
steel brushed  
Ring: Polished  
Material: Stainless steel  
brushed, Easy-to-clean  
coated



# GEBERIT SIGMA ACTUATOR PLATES

## Sigma10

Flush technology:  
dual flush, infrared



→ **115.907.KH.6** (mains)  
→ **115.908.KH.6** (battery)  
Plate: Bright chrome  
Ring: Matt chrome  
Material: Plastic



→ **115.907.KK.6** (mains)  
→ **115.908.KK.6** (battery)  
Plate: White  
Ring: Gold-plated  
Material: Plastic



→ **115.907.KM.6** (mains)  
→ **115.908.KM.6** (battery)  
Plate: Black  
Ring: Bright chrome  
Material: Plastic



→ **115.907.KL.6** (mains)  
→ **115.908.KL.6** (battery)  
Plate: White  
Ring: Matt chrome  
Material: Plastic



→ **115.907.JQ.6** (mains)  
→ **115.908.JQ.6** (battery)  
Plate: Matt chrome  
Ring: Bright chrome  
Material: Plastic



→ **115.907.KJ.6** (mains)  
→ **115.908.KJ.6** (battery)  
Plate: White  
Ring: Bright chrome  
Material: Plastic



→ **115.907.SN.6** (mains)  
→ **115.908.SN.6** (battery)  
Plate: Stainless steel brushed  
Ring: Polished  
Material: Stainless steel



**With manual flush**  
→ **115.890.SN.6** (mains)  
→ **115.891.SN.6** (battery)  
Plate: Stainless steel brushed  
Ring: Polished  
Material: Stainless steel



→ **115.890.16.6** (mains)  
→ **115.891.16.6** (battery)  
Plate: Black matt,  
Easy-to-clean coated  
Ring: Black  
Material: Stainless steel



→ **115.890.DW.6** (mains)  
→ **115.891.DW.6** (battery)  
Plate: Jet black  
Ring: Black matt  
Material: Stainless steel



→ **115.907.16.6** (mains)  
→ **115.908.16.6** (battery)  
Plate: Black matt  
Ring: Black matt,  
Easy-to-clean coated  
Material: Stainless steel



→ **115.907.DW.6** (mains)  
→ **115.908.DW.6** (battery)  
Plate: Jet black,  
Ring: Black matt  
Material: Stainless steel


\* Installation set required for  
mains operation plates -  
→ Art no: 115.861.00.6

Extension cable -  
→ Art no: 244.094.00.1

# GEBERIT SIGMA ACTUATOR PLATES

## Sigma01

Flush technology:  
dual flush



→ **115.770.11.5**  
Plate: White alpine  
Buttons: White alpine  
Material: Plastic



→ **115.770.JQ.5**  
Plate: Matt chrome  
Buttons: Matt chrome,  
Easy-to-clean coated  
Material: Plastic



→ **115.770.DW.5**  
Plate: Jet black RAL 9005  
Buttons: Jet black RAL 9005  
Material: Plastic



→ **115.770.LA.5**  
Plate: White  
Buttons: Yellow / Green  
Material: Plastic



→ **115.770.21.5**  
Plate: Bright chrome  
Buttons: Bright chrome  
Material: Plastic



→ **115.770.DT.5**  
Plate: Special brass galvanised  
Buttons: Special brass galvanised  
Material: Plastic




→ **115.770.KA.5**  
Plate: Bright chrome  
Buttons: Matt chrome  
Material: Plastic



→ **115.770.LB.5**  
Plate: White  
Buttons: Blue / Red  
Material: Plastic

## Sigma Type 10 IR sensor

Flush technology:  
dual flush, infrared



→ **115.936.14.6**  
Plate: Black matt  
Material: Brass  
Battery operated



→ **115.937.14.6**  
Plate: Black matt  
Material: Brass  
Main operated



→ **115.936.SN.6**  
Plate: Brushed  
Material: Stainless steel  
Battery operated



→ **115.937.SN.6**  
Plate: Brushed  
Material: Stainless steel  
Main operated

\* installation set required  
for mains operation plates -  
→ Art no: 115.861.00.6

\* Extension cable -  
→ Art no: 244.094.00.1

# GEBERIT DUOFRESH MODULE FOR SIGMA ACTUATORS

## DuoFresh Module

For Geberit Actuator Plates Sigma50, Sigma30, Sigma21, Sigma 20, Sigma10 and Sigma01 only.

→ **115.050.21.2**

Bright chrome plated

For Geberit Sigma concealed cisterns 12cm only

→ **115.050.BZ.2**

Anthracite grey

For Geberit Sigma concealed cisterns 12cm only

\* Installation set required -  
→ Art no: 244.999.00.1

or mounting box for WC ceramic -  
→ Art no: 224.120.00.1

Power supply unit:  
→ Art no: 243.971.00.1

Consumable drawer with filter:  
→ Art no: 243.970.00.1

Consumable DuoFresh stick:  
→ Art no: 244.900.00.1



→ Geberit Sigma50 Actuator Plate with DuoFresh Module



↑

### GEBERIT DUOFRESH PURE AIR

The Geberit DuoFresh module removes bad air directly from the WC ceramic appliance, purifies it using a ceramic honeycomb filter and then returns it to the room. Thanks to a proximity sensor, the odour extraction always switches on automatically as soon as someone sits down on the toilet. The odour extraction is therefore also a great idea for guest WCs.

Benefit from additional comfort thanks to an LED orientation light. The Geberit DuoFresh module can be easily installed in any Geberit Sigma cistern and can be combined with almost any actuator plate from the Sigma range.

### FRESH AIR FOR YOUR WELL-BEING

- Unpleasant odours are extracted right at their source
- Discreet look thanks to the integration of the odour extraction unit into the concealed cistern
- Can be combined with most of the Sigma actuator plates
- Orientation light for the night
- Maximum ease of use



→ Geberit Xenos2 with Omega60 actuator plate

# GEBERIT OMEGA CONCEALED CISTERNS


## Omega Duofix

Thickness: 120mm  
Height: 820mm

→ **224.531.00.1** 4/3L



NEW




## Omega Concealed Cisterns

Thickness: 120mm  
Height: 820mm

→ **224.511.00.1** 4/3L



NEW




Thickness: 120mm  
Height: 88mm to 108mm (adjustable)

→ **224.512.00.1** 4/3L




NEW



# GEBERIT OMEGA ACTUATOR PLATES

## Omega60

Flush technology:  
dual flush



NEW

→ **115.081.GH.1**  
Buttons: Chrome-plated, brushed, easy-to-clean coated  
Frame: Bright chrome  
Stripes: Bright chrome  
Material: Die-cast zinc




NEW

→ **115.081.JK.1**  
Buttons: Lava  
Frame: Bright chrome  
Stripes: Mirrored  
Material: Die-cast zinc / glass



NEW

→ **115.081.JL.1**  
Buttons: Sand grey  
Frame: Bright chrome  
Stripes: Mirrored  
Material: Die-cast zinc / glass



NEW

→ **115.081.SI.1**  
Buttons: White  
Frame: Bright chrome  
Stripes: Mirrored  
Material: Die-cast zinc / glass



NEW


→ **115.081.SJ.1**  
Buttons: Black  
Frame: Bright chrome-plated  
Stripes: Mirrored  
Material: Die-cast zinc / glass

Brushed chrome cover frame  
→ Art no: 115.086.GH.1 (Easy-to-clean)

Bright chrome cover frame  
→ Art no: 115.086.21.1

## Omega30

Flush technology:  
dual flush



NEW

→ **115.080.01.1**  
Plates & Buttons: White matt coated, easy-to-clean coated  
Stripes: White  
Material: Plastic




NEW

→ **115.080.11.1**  
Plates & Buttons: White  
Stripes: Matt white  
Material: Plastic




NEW

→ **115.080.14.1**  
Plates & Buttons: Black matt, Easy-to-clean coated  
Stripes: Bright chrome  
Material: Plastic



NEW

→ **115.080.16.1**  
Plates & Buttons: Black matt, Easy-to-clean coated  
Stripes: Black  
Material: Plastic



NEW

→ **115.080.DW.1**  
Plates & Buttons: Black  
Stripes: Matt black  
Material: Plastic



NEW

→ **115.080.JT.1**  
Plates & Buttons: White matt, Easy-to-clean  
Stripes: Bright chrome  
Material: Plastic



NEW

→ **115.080.JQ.1**  
Plates & Buttons: Matt chrome, Easy-to-clean  
Stripes: Bright chrome  
Material: Plastic



NEW

→ **115.080.KJ.1**  
Plates & Buttons: White  
Stripes: Bright chrome  
Material: Plastic



NEW

→ **115.080.KK.1**  
Plates & Buttons: White  
Stripes: Gold  
Material: Plastic



NEW

→ **115.080.KM.1**  
Plates & Buttons: Black  
Stripes: Bright chrome  
Material: Plastic




NEW

→ **115.080.KH.1**  
Plates & Buttons: Bright chrome  
Stripes: White chrome  
Material: Plastic

# GEBERIT OMEGA ACTUATOR PLATES

## Omega20

Flush technology:  
dual flush



NEW

→ **115.085.01.1**  
Plates & Buttons: White matt,  
Easy-to-clean  
Ring: White  
Material: Plastic



NEW

→ **115.085.11.1**  
Plates & Buttons: White  
Ring: Matt white  
Material: Plastic



NEW

→ **115.085.14.1**  
Plates & Buttons: Black  
matt, Easy-to-clean  
Ring: Bright chrome  
Material: Plastic



NEW

→ **115.085.16.1**  
Plates & Buttons: Black,  
Easy-to-clean  
Ring: Matt black  
Material: Plastic



NEW

→ **115.085.DW.1**  
Plates & Buttons: Black  
Ring: Matt black  
Material: Plastic



NEW

→ **115.085.JT.1**  
Plates & Buttons: White matt,  
Easy-to-clean  
Ring: Bright chrome  
Material: Plastic



NEW

→ **115.085.JQ.1**  
Plates & Buttons: Matt  
chrome, Easy-to-clean  
Ring: Bright chrome  
Material: Plastic



NEW

→ **115.085.KH.1**  
Plates & Buttons: Bright chrome  
Ring: Matt chrome  
Material: Plastic



NEW

→ **115.085.KJ.1**  
Plates & Buttons: White  
Ring: Bright chrome  
Material: Plastic



NEW

→ **115.085.KK.1**  
Plates & Buttons: White  
Ring: Gold  
Material: Plastic




NEW

→ **115.085.KM.1**  
Plates & Buttons: Black  
Ring: Bright chrome  
Material: Plastic

## Omega Type 10 IR sensor

Flush technology:  
dual flush, infrared



NEW

→ **115.956.14.6**  
Plate: Black matt  
Material: Brass  
Main operated



NEW

→ **115.956.SN.6**  
Plate: Brushed  
Material: Stainless steel  
Main operated

\* installation set required  
for mains operation plates -  
→ Art no: 115.861.00.6

\* Extension cable -  
→ Art no: 244.094.00.1




→ Geberit iCon wall-hung WC with Geberit Pneumatic Type 10 remote flush actuator



# GEBERIT REMOTE FLUSH ACTUATOR PLATES

## Pneumatic Actuator

Flush technology:  
dual flush



→ **115.932.KA.1**  
Plate: Bright chrome  
Buttons: Matt chrome  
Material: Plastic



→ **115.932.KT.1**  
Plate: Glossy white  
Buttons: Brushed chrome  
Material: Plastic




→ **115.932.KV.1**  
Plate: Glossy black  
Buttons: Brushed chrome  
Material: Plastic



→ **115.932.GH.1**  
Plate: Brushed chrome  
Buttons: Brushed chrome  
Material: Die cast zinc

## Pneumatic Type 10

Flush technology:  
dual flush



→ **116.055.KH.1**  
Collar & Buttons:  
Bright chrome  
Ring: Matt chrome  
Material: Plastic



→ **116.055.KJ.1**  
Collar & Buttons: White  
Ring: Bright chrome  
Material: Plastic



→ **116.055.KK.1**  
Collar & Buttons: White  
Ring: Gold  
Material: Plastic



→ **116.055.KM.1**  
Collar & Buttons: Black  
Ring: Bright chrome  
Material: Plastic



→ **116.055.16.1**  
Plate: Black matt-coated,  
Easy-to-clean coated  
Material: Plastic




→ **116.055.DW.1**  
Plate: Black  
Ring: Matt black  
Material: Plastic



→ **116.055.JQ.1**  
Plate: Matt chrome-coated,  
Easy-to-clean coated  
Ring: Polished  
Material: Plastic

## Pneumatic Type 01

Flush technology:  
dual flush



→ **116.042.11.1**  
Collar: White alpine  
Buttons: White alpine  
Material: Plastic



→ **116.042.21.1**  
Collar: Bright chrome  
Buttons: Bright chrome  
Material: Plastic



→ **116.042.JQ.1**  
Collar and buttons: Matt  
chrome, easy-to-clean  
coated  
Material: Plastic



→ Geberit AquaClean Mera with Sigma70 actuator plate

DESIGN PLUS  
powered by: SH



reddot design award  
winner 2015



GEBERIT AQUACLEAN SHOWER TOILETS

# FEEL FRESH WITH WATER



- Perfect model for every bathroom
- Big variety of comfort functions like seat heating, comfort light, etc.
- Whirlspray technology
- Fresh out-of-the-shower feeling



## **GET CLEANED WITH WATER**


Water is irreplaceable for hygiene and our well-being. It is all the more astonishing that we are satisfied with only toilet paper when going to the toilet.

The Geberit AquaClean is the toilet that cleans you with water. A new kind of personal hygiene that is gentle and natural. It gives you a sense of freshness and cleanliness that you will soon not want to live without. There is a perfect model for every bathroom.

# GEBERIT AQUACLEAN SHOWER TOILETS

## Geberit AquaClean Mera

- **146.214.11.1** Comfort, White alpine
- **146.214.21.1** Comfort, Bright-chrome plated
- **146.204.11.1** Classic, White alpine
- **146.204.21.1** Classic, Bright-chrome plated





### Geberit AquaClean Wall Mounted Control Panel

- **147.038.SI.1** White glass
- **147.038.SJ.1** Black glass



reddot design award  
winner 2015

DESIGN PLUS  
powered by: I SH



## GEBERIT AQUACLEAN MERA FEATURES:



↑  
**ODOUR EXTRACTION UNIT**  
Unpleasant odours are absorbed at once in the interior of the WC ceramic appliance by the automatically starting, low-noise odour extraction unit and then eliminated through a ceramic honeycomb filter.



↑  
**DRYER**  
The dryer arm aligns itself automatically for optimum drying at the last position of the spray arm.



↑  
**HEATING THE WC SEAT**  
The ergonomically optimised WC seat made of high-quality thermoset is equipped with an integrated heating element. Thanks to the proximity sensor, the WC seat waits until someone approaches before heating up.





← **ORIENTATION LIGHT**  
A discreet light catches your eye and helps you orient yourself at night. Activated by proximity sensor, it lights up in one of seven selectable colour tones and five brightness levels.

# GEBERIT AQUACLEAN SHOWER TOILETS


## Geberit AquaClean Sela

- 146.224.11.1 White alpine
- 146.224.21.1 Bright-chrome plated




### Geberit AquaClean Wall Mounted Control Panel

- 147.041.SI.1 White glass
- 147.041.SJ.1 Black glass



reddot design award  
winner 2019



## GEBERIT AQUACLEAN SELA FEATURES:



↑  
**TURBOFLUSH TECHNOLOGY**  
The innovative TurboFlush technology is based on a flow-optimized rimless ceramic pan. This way, the shower toilet can be flushed at any time without any disturbing sounds – even at night.



↑  
**WHIRLSPRAY SHOWER TECHNOLOGY**  
AquaClean Sela features the unique, patented WhirlSpray shower technology. The shower spray is refined through dynamic aeration that allows for pleasant and thorough cleaning with low water consumption.



↑  
**REMOTE CONTROL AND APP**  
All functions of the AquaClean Sela can be easily controlled from the remote control and Geberit AquaClean App.









← **ORIENTATION LIGHT**  
The discreet orientation light is just bright enough to show the way at night and makes it easier to fall asleep afterwards. With a brightness sensor control it is activated in the dark. Available in seven different colours.

# GEBERIT AQUACLEAN SHOWER TOILETS

## Geberit AquaClean Tuma

### AquaClean Tuma, Wall-hung

- **146.294.11.1** Comfort, White alpine
- **146.294.SI.1** Comfort, White glass
- **146.294.SJ.1** Comfort, Black glass
- **146.294.FW.1** Comfort, Stainless steel brushed
- **146.094.11.1** Classic, White alpine



### AquaClean Tuma, Floor-standing

- **146.310.11.1** Comfort, White alpine
- **146.310.SI.1** Comfort, White glass
- **146.310.SJ.1** Comfort, Black glass
- **146.310.FW.1** Comfort, Stainless steel brushed
- **146.320.11.1** Classic, White alpine



### Geberit AquaClean Wall Mounted Control Panel

- **147.038.SI.1** White glass
- **147.038.SJ.1** Black glass



## GEBERIT AQUACLEAN TUMA FEATURES:




↑  
**WHIRLSPRAY SHOWER TECHNOLOGY**  
 The AquaClean Tuma ensures a cleaning that is particularly convenient while at the same time saving water, thanks to the patented WhirlSpray shower technology.



↑  
**RIMFREE WC CERAMIC APPLIANCE**  
 With the Rimfree WC ceramic appliance, the Aquaclean Tuma offers modern standards for hygiene and easy care.





→ Geberit AquaClean Tuma floor-standing

# GEBERIT AQUACLEAN MODEL OVERVIEW



	AQUACLEAN MERA		AQUACLEAN SELA
	COMFORT	CLASSIC	
WhirlSpray shower technology			
Rimless WC ceramic appliance with TurboFlush			
Rimless WC ceramic appliance			
Remote control			
Remote control app			
Programmable user profiles	4 profiles	4 profiles	4 profiles
Orientation light			
Number of adjustable shower pressure settings	5 levels	5 levels	5 levels
Individually adjustable spray arm position			
Adjustable water spray temperature			
Oscillating spray			
Lady shower			
WC seat heating			
Warm air dryer			
Odour extraction unit			
Touchless automatic mechanism for the WC lid			
SoftClosing			
QuickRelease function			
User recognition			
Descaling function			
Economy mode			








→ Geberit Monolith Puro in black with Geberit iCon floor-standing WC

# GEBERIT MONOLITH PURO

## Geberit Monolith Puro



White

→ **131.174.SF.1**  
6L/3L (SEA)


→ **131.172.SF.1**  
4.5L/3L (SG)



Black

→ **131.174.SG.1**  
6L/3L (SEA)

→ **131.172.SG.1**  
4.5L/3L (SG)





reddot design award  
winner 2015

GEBERIT SHOWER SOLUTIONS

# DISCREET AND SMART



↑

## **FLOOR EVEN SHOWER SOLUTIONS – SHOWER IN STYLE**

The Geberit CleanLine shower channel is an alternative for floor even showers. It has a two-piece design: The trap is mounted below the surface and a sealing foil is firmly connected to the drain to ensure maximum tightness. On top there is a collector surface in stainless steel, which can be cut to length. It can be placed either close to the wall or in the middle of the shower area.

### **CROSSING THE CHANNEL**

- Two positions for the installation:  
in the room centre or at the wall
- Unique design with collector surface comb insert and trap
- Simple cleaning and modern linear appearance



↑

## **GEBERIT WALL DRAIN FOR SHOWERS – INNOVATIVE WALL-DRAINAGE**

Floor even solutions for showers are getting more and more popular. An alternative to traditional wet room drainage is the Geberit wall drain for showers which integrates the drainage into the wall. The drain is not interrupting the floor and this opens up the room. The hair trap can be easily accessed and the removable front cover makes cleaning quick and easy.

### **DISAPPEARING IN THE WALL**

- Never standing on the drain again
- More freedom in your bathroom design
- Classy and highly functional design
- Easy cleaning

# GEBERIT CLEANLINE SHOWER CHANNEL

## CleanLine80

Champagne, coated  
Material: Stainless steel

→ **154.440.39.1**  
Length: 30 - 90cm


→ **154.441.39.1**  
Length: 30 - 130cm



Stainless steel, brushed  
Material: Stainless steel

→ **154.440.KS.1**  
Length: 30 - 90cm



→ **154.441.KS.1**  
Length: 30 - 130cm



Black chrome, polished  
Material: Stainless steel

→ **154.440.QC.1**  
Length: 30 - 90cm

→ **154.441.QC.1**  
Length: 30 - 130cm





## CleanLine60

Polished, brushed metal  
Material: Stainless steel

→ **154.456.KS.1**  
Length: 30 - 90cm

→ **154.457.KS.1**  
Length: 30 - 130cm





## For Thin Floor

Brushed metal  
Material: Stainless steel

→ **154.458.00.1**  
Length: 30 - 90cm

→ **154.459.00.1**  
Length: 30 - 130cm



# GEBERIT CLEANLINE SHOWER CHANNEL

## CleanLine50

Plate: Stainless steel, brushed  
Material: Stainless steel

→ **154.446.KS.1**  
Length: 30 - 90cm

→ **154.447.KS.1**  
Length: 30 - 130cm




**DESIGN PLUS**  
powered by: **ISH**



Plate: Black chrome, brushed  
Material: Stainless steel

→ **154.446.QC.1**  
Length: 30 - 90cm

→ **154.447.QC.1**  
Length: 30 - 130cm




## CleanLine20

Polished, brushed metal  
Material: Stainless steel

→ **154.450.KS.1**  
Length: 30 - 90cm


→ **154.451.KS.1**  
Length: 30 - 130cm



## CleanLine Tile-bearing

Customised surface  
Material: Stainless steel brushed

→ **154.455.00.1**



# GEBERIT CLEANLINE SHOWER CHANNEL

## CleanLine Installation Set

### With waste trap


for screed height at inlet 90–220mm

→ **154.150.00.1**

Outlet diameter: 50mm

→ **154.151.00.1**

Outlet diameter: 56mm



for screed height at inlet 65–90mm

→ **154.152.00.1**


Outlet diameter: 40mm

### Without waste trap

for cross-floor installation

→ **154.153.00.1**

Outlet diameter: 50mm



# GEBERIT FLOOR DRAINS




## Floor Drain Grating

### Lockable

→ **154.310.00.1**

Stainless steel brushed

Material: Stainless steel






### Circle

→ **154.311.00.1**

Stainless steel brushed

Material: Stainless steel






### Square

→ **154.312.00.1**

Stainless steel brushed

Material: Stainless steel







# GEBERIT FLOOR DRAINS

## Floor Drain



→ **154.050.00.1**

Floor construction height from 90mm



→ **154.052.00.1**

Floor construction height from 65mm



→ **154.053.00.1**



Cross-floor installation

# GEBERIT FLOOR DRAIN AQUOREA 2

## Floor Drain Aquorea



### Slotted Grating, Rear Inlet

→ **388.011.00.3**  
Material: PE-HD





### Slotted Grating

→ **388.012.00.3**  
Material: PE-HD





### Hole Grating

→ **388.013.00.2**  
Material: PE-HD





### Tile-bearing, Rear Inlet

→ **388.123.00.2**  
Material: PE-HD



### Tile-bearing

→ **388.121.00.2**  
Material: PE-HD





### → ODOUR-FREE WITHOUT WATER REFILL

Up to 5 months of odour-free protection thanks to the special design and patented silicone membrane. The Geberit floor drain Aquorea also offers easy maintenance, installation and a big flow rate.



# GEBERIT FLOOR COLLECTOR DRAIN

## Floor Collector Drain



→ **388.001.00.1**  
 Outlet: 75mm, H198mm  
 Material: PE-HD



→ **388.007.00.1**  
 Outlet: 75mm, H150mm  
 Material: PE-HD





→ **388.008.00.1**  
 Outlet: 75mm, H150mm  
 Material: PE-HD  
 For cross-floor installation




## Grating for Floor Collector Drain

→ **388.009.00.1**  
 Outlet: 75mm, H150mm  
 Material: PE-HD  
 For cross-floor installation



## Adapter to PVC

→ **154.297.00.1**  
 Size: D40  
 Material: PE



→ **154.298.00.1**  
 Size: D50  
 Material: PE


# GEBERIT WALL DRAIN

## Duofix Wall Drain, Half Frame


DESIGN PLUS  
powered by ISH





→ **111.591.00.1**  
Discharge outlet: 50mm



→ **111.593.00.1**  
Discharge outlet: 40mm



## Wall Drain Cover



→ **154.335.11.1**  
White  
Material: Plastic



→ **154.335.21.1**  
Bright chrome-plated  
Material: Plastic



→ **154.336.FW.1**  
→ **154.337.FW.1 (lockable)**  
Stainless steel brushed  
Material: Stainless steel



→ **154.338.00.1 (frameless)**  
→ **154.339.00.1**  
Customisable surface

GEBERIT PUBLIC SOLUTIONS

# INTELLIGENT DESIGN

## FLEXIBLE COMPONENTS



↑

### **GEBERIT URINAL SYSTEM THE COMPLETE SOLUTION**

The Geberit urinal system includes the ceramic, the integrated flush system and the urinal element. Only 0.5 litres of water are enough to ensure an optimal flushing out as the spray-head has been precisely designed to fit the ceramic pan. There are three options of operation: mains or battery operation or as a self-sustaining unit using an integrated generator.

The maintenance is very simple, as the ceramic unit does not need to be removed from the wall.

### **COMPLETELY CLEAR WHY:**

- All from one source
- Easy maintenance
- Water saving
- For mains, battery or self-sustaining operation
- Waterless operation possible
- Quick solution



↑

### **GEBERIT TAP SYSTEM TOUCHLESS TECHNOLOGY**

The Geberit tap system provides functional reliability, particularly in highly frequented areas. The tap housing is anchored firmly in the Geberit installation element and delicate components are separate from the tap, virtually eliminating the risk of damage due to moisture or vandalism.

### **TAP DANCE:**

- Easy maintenance
- Water saving
- Very hygienic
- Vandal-proof
- For mains or battery operation


# GEBERIT URINAL

## Preda Urinal




### With Integrated Sensor

→ 116.072.00.1  
White alpine




### Without Integrated Sensor

→ 116.070.00.1  
White alpine




### Waterless

→ 116.071.00.1  
White alpine




## Smyle Urinal

→ 500.254.01.1  
White



## Pareo Urinal

→ 236100000  
White





# GEBERIT URINAL DIVISION PANEL

## Urinal Division Panel

→ **115.201.11.1**

White alpine



Material: Plastic



→ **115.202.11.1**

White alpine



Material: Plastic



→ **115.211.CD.1**

Grey



Material: Glass



→ **115.211.TD.1**

White alpine



Material: Glass



→ **115.211.TF.1**

Umber


Material: Glass




# GEBERIT URINAL FLUSH CONTROL

## Type 50

Flush technology:  
sensor



→ **116.026.GH.1**  
Plate: Brushed chrome  
Material: Die-cast zinc



→ **116.026.QB.1**  
Plate: Red gold  
Material: Die-cast zinc




→ **116.026.QD.1**  
Plate: Black chrome  
Material: Die-cast zinc



→ **116.026.QF.1**  
Plate: Brass  
Material: Die-cast zinc

Flush technology:  
manual



→ **116.016.00.5**  
Plate: Customised surface  
Material: Die-cast zinc



→ **116.016.11.5**  
Plate: White alpine  
Material: Die-cast zinc



→ **116.016.DW.5**  
Plate: Jet black  
Material: Die-cast zinc



→ **116.016.GH.5**  
Plate: Brushed chrome  
Material: Die-cast zinc



→ **116.016.SD.5**  
Plate: Smoked glass reflective  
Material: Die-cast zinc



→ **116.016.SE.5**  
Plate: Green sanitised  
Material: Die-cast zinc



→ **116.016.SQ.5**  
Plate: Umber glass  
Material: Die-cast zinc




→ **116.016.JK.5**  
Plate: Lava glass  
Material: Die-cast zinc



→ **116.016.JL.5**  
Plate: Sand grey glass  
Material: Die-cast zinc

## Type 30

Flush technology:  
sensor



→ **116.027.KH.1**  
Plate: Bright chrome  
Material: Die-cast zinc



→ **116.027.KJ.1**  
Plate: White alpine  
Material: Die-cast zinc



→ **116.027.KM.1**  
Plate: Black  
Material: Die-cast zinc



→ **116.027.KX.1**  
Plate: Brushed chrome  
Material: Die-cast zinc



→ **116.027.JQ.1**  
Plate: Matt chrome,  
Easy-to-clean coated  
Material: Die-cast zinc

NEW



→ **116.027.16.1**  
Plate: Black matt  
Material: Die-cast zinc

NEW



→ **116.017.KH.1**  
Plate: Bright chrome  
Stripes: Matt chrome  
Material: Plastic



→ **116.017.KJ.1**  
Plate: White alpine  
Stripes: Bright chrome  
Material: Plastic



→ **116.017.KK.1**  
Plate: White alpine  
Stripes: Gold  
Material: Plastic



→ **116.017.KL.1**  
Plate: White alpine  
Stripes: Matt chrome  
Material: Plastic



→ **116.017.KM.1**  
Plate: Black  
Stripes: Bright chrome  
Material: Plastic



→ **116.017.16.1**  
Plate: Black matt  
Material: Plastic

NEW



→ **116.037.16.1**  
Plate: Black matt  
Material: Die-cast zinc

NEW



→ **116.017.DW.1**  
Plate: Jet black  
Material: Plastic

NEW



→ **116.017.JQ.1**  
Plate: Matt chrome-coated,  
Easy-to-clean coated  
Material: Plastic

NEW



## Type 10

Flush technology:  
sensor



→ **116.025.KH.1**  
Plate: Brushed chrome  
Ring: Matt chrome  
Material: Die-cast zinc



→ **116.025.KJ.1**  
Plate: White  
Ring: Bright chrome  
Material: Die-cast zinc



→ **116.025.KK.1**  
Plate: White  
Ring: Gold  
Material: Die-cast zinc



→ **116.025.KL.1**  
Plate: White  
Ring: Matt chrome  
Material: Die-cast zinc



→ **116.025.KM.1**  
Plate: Black  
Ring: Bright chrome  
Material: Die-cast zinc



→ **116.025.SN.1**  
Plate: Brushed  
Ring: Polished  
Material: Stainless steel



→ **116.025.16.1**  
Plate: Black matt-coated, Easy-to-clean coated  
Material: Stainless steel



→ **116.025.DW.1**  
Plate: Jet black  
Material: Stainless steel



→ **116.025.JQ.1**  
Plate: Matt chrome-coated, Easy-to-clean coated  
Ring: Bright chrome-plated  
Material: Stainless steel

Flush technology:  
manual



→ **116.015.KH.1**  
Plate: Bright chrome  
Ring: Matt chrome  
Material: Plastic



→ **116.015.KJ.1**  
Plate: White  
Ring: Bright chrome  
Material: Plastic



→ **116.015.KK.1**  
Plate: White  
Ring: Gold  
Material: Plastic



→ **116.015.KL.1**  
Plate: White  
Ring: Matt chrome  
Material: Plastic



→ **116.015.KM.1**  
Plate: Black  
Ring: Bright chrome  
Material: Plastic



→ **116.015.JQ.1**  
Plate: Matt chrome-coated, Easy-to-clean coated  
Rings: Bright chrome-plated  
Material: Plastic



→ **116.015.SN.1**  
Plate: Brushed  
Ring: Polished  
Material: Stainless steel



→ **116.015.16.1**  
Plate: Black matt coated, Easy-to-clean coated  
Material: Stainless steel



→ **116.015.DW.1**  
Plate: Jet black  
Rings: Matt black  
Material: Stainless steel



→ **116.035.JQ.1**  
Plate: Matt chrome, Easy-to-clean coated  
Ring: Bright chrome-plated  
Material: Die-cast zinc

## Type 01

Flush technology:  
sensor



→ **116.021.11.5**  
Plate: White alpine  
Material: Die-cast zinc



→ **116.021.21.5**  
Plate: Bright chrome  
Material: Die-cast zinc



→ **116.021.JQ.5**  
Plate: Matt chrome, Easy-to-clean coated  
Material: Die-cast zinc

Flush technology:  
manual



→ **116.011.11.5**  
Plate: White alpine  
Material: Plastic



→ **116.011.21.5**  
Plate: Bright chrome  
Material: Plastic



→ **116.011.JQ.5**  
Plate: Matt chrome  
Easy-to-clean coated  
Material: Plastic

# GEBERIT SENSOR TAP

## Deck-mounted Sensor Tap



### Brenta



With exposed function box  
Mains operation

→ **116.171.21.1**  
**Without mixer**  
Surface: Bright chrome

→ **116.172.21.1**  
**With mixer**  
Surface: Bright chrome



With concealed function box  
Mains operation

→ **116.191.21.1**  
**Without mixer**  
Surface: Bright chrome

→ **116.192.21.1**  
**With mixer**  
Surface: Bright chrome

### Piave



With exposed function box  
Mains operation

→ **116.161.21.1**  
**Without mixer**  
Surface: Bright chrome

→ **116.162.21.1**  
**With mixer**  
Surface: Bright chrome



With concealed function box  
Mains operation

→ **116.181.21.1**  
**Without mixer**  
Surface: Bright chrome

→ **116.182.21.1**  
**With mixer**  
Surface: Bright chrome

## Wall-mounted Sensor Tap

### Brenta



With concealed function box  
Mains operation

→ **116.271.21.1**  
**Without mixer**  
Surface: Bright chrome  
Length: 17cm

→ **116.272.21.1**  
**With mixer**  
Surface: Bright chrome  
Length: 17cm



With concealed function box  
Mains operation

→ **116.291.21.1**  
**Without mixer**  
Surface: Bright chrome  
Length: 22cm

→ **116.292.21.1**  
**With mixer**  
Surface: Bright chrome  
Length: 22cm

### Piave



With concealed function box  
Mains operation

→ **116.261.21.1**  
**Without mixer**  
Surface: Bright chrome  
Length: 17cm

→ **116.262.21.1**  
**With mixer**  
Surface: Bright chrome  
Length: 17cm



With concealed function box  
Mains operation

→ **116.281.21.1**  
**Without mixer**  
Surface: Bright chrome  
Length: 22cm

→ **116.282.21.1**  
**With mixer**  
Surface: Bright chrome  
Length: 22cm

# GEBERIT SENSOR TAP

## Deck-mounted Sensor Tap

### Brenta



NEW

With exposed function box  
Mains operation

→ **116.171.14.1**  
**Without mixer**  
Surface: Black matt

→ **116.172.21.1**  
**With mixer**  
Surface: Black matt



NEW

With concealed function box  
Mains operation

→ **116.191.14.1**  
**Without mixer**  
Surface: Black matt

→ **116.192.14.1**  
**With mixer**  
Surface: Black matt



NEW

With exposed function box  
Mains operation

→ **116.171.SN.1**  
**Without mixer**  
Surface: Stainless steel

→ **116.172.SN.1**  
**With mixer**  
Surface: Stainless steel



NEW

With concealed function box  
Mains operation

→ **116.191.SN.1**  
**Without mixer**  
Surface: Stainless steel

→ **116.192.SN.1**  
**With mixer**  
Surface: Stainless steel

### Piave



NEW

With exposed function box  
Mains operation

→ **116.161.14.1**  
**Without mixer**  
Surface: Black matt

→ **116.162.14.1**  
**With mixer**  
Surface: Black matt



NEW

With concealed function box  
Mains operation

→ **116.181.14.1**  
**Without mixer**  
Surface: Black matt

→ **116.182.14.1**  
**With mixer**  
Surface: Black matt



NEW

With exposed function box  
Mains operation

→ **116.161.SN.1**  
**Without mixer**  
Surface: Stainless steel

→ **116.162.SN.1**  
**With mixer**  
Surface: Stainless steel



NEW

With concealed function box  
Mains operation

→ **116.181.SN.1**  
**Without mixer**  
Surface: Stainless steel

→ **116.182.SN.1**  
**With mixer**  
Surface: Stainless steel

# GEBERIT SENSOR TAP

## Wall-mounted Sensor Tap

### Brenta



With concealed function box  
Mains operation

→ **116.271.14.1**  
**Without mixer**  
Surface: Black matt  
Length: 17cm

→ **116.272.14.1**  
**With mixer**  
Surface: Black matt  
Length: 17cm



With concealed function box  
Mains operation

→ **116.291.14.1**  
**Without mixer**  
Surface: Black matt  
Length: 22cm

→ **116.292.14.1**  
**With mixer**  
Surface: Black matt  
Length: 22cm



With concealed function box  
Mains operation

→ **116.271.SN.1**  
**Without mixer**  
Surface: Stainless steel  
Length: 17cm

→ **116.272.SN.1**  
**With mixer**  
Surface: Stainless steel  
Length: 17cm



With concealed function box  
Mains operation

→ **116.291.SN.1**  
**Without mixer**  
Surface: Stainless steel  
Length: 22cm

→ **116.292.SN.1**  
**With mixer**  
Surface: Stainless steel  
Length: 22cm

### Piave



With concealed function box  
Mains operation

→ **116.261.14.1**  
**Without mixer**  
Surface: Black matt  
Length: 17cm

→ **116.262.14.1**  
**With mixer**  
Surface: Black matt  
Length: 17cm



With concealed function box  
Mains operation

→ **116.281.14.1**  
**Without mixer**  
Surface: Black matt  
Length: 22cm

→ **116.282.14.1**  
**With mixer**  
Surface: Black matt  
Length: 22cm



With concealed function box  
Mains operation

→ **116.261.SN.1**  
**Without mixer**  
Surface: Stainless steel  
Length: 17cm

→ **116.262.SN.1**  
**With mixer**  
Surface: Stainless steel  
Length: 17cm



With concealed function box  
Mains operation

→ **116.281.SN.1**  
**Without mixer**  
Surface: Stainless steel  
Length: 22cm



→ **116.282.SN.1**  
**With mixer**  
Surface: Stainless steel  
Length: 22cm

# ACCESSORIES FOR SENSOR TAP & MIXER



## Duofix Element for Washbasin

### For Deck-mounted tap

→ **111.553.00.1**  
 Height: 112cm  
 Deck-mounted tap  
 With concealed function box





→ **111.563.00.1**  
 Height: 112cm  
 Deck-mounted tap  
 With concealed function box and concealed trap





### For Wall-mounted tap

→ **111.560.00.1**  
 Height: 130cm  
 Wall-mounted tap  
 With concealed function box





→ **111.562.00.1**  
 Height: 130cm  
 Wall-mounted tap  
 With concealed function box and concealed trap





## Cover Plate

→ **116.425.11.1**  
 White alpine  
 For concealed function box



→ **116.426.11.1**  
 White alpine  
 For concealed function box and concealed trap





■ GEBERIT



Geberit Bathroom Series  
Online Catalogue

→ Geberit ONE vanity basin

GEBERIT BATHROOM COLLECTION

# JUST LIKE PORCELAIN SKIN



←

#### **BATHROOM CERAMICS PLANE AND GLAZED**

Geberit offers a huge variety of ceramic products like toilet bowls and washbasins. Most of the products can be provided with KeraTect, a special fired to form glaze that makes the surface practically non-porous which reduces the building-up of dirt and bacteria. That makes cleaning a lot easier. Rimfree toilets add also much to a hygienic bathroom, as there are no hidden hollow spots. Dirt is easy to see and can be removed in a flash.

#### **CUTTING A FINE FIGURE:**

- A vast variety of products available
- Long-lasting quality
- Special fired to form glaze available (KeraTect glaze)
- Hygienic surfaces



- Rimfree ceramics are easy to clean
- Less cleaning agent necessary
- More hygienic as there are no hiding places for germs



→ Geberit ONE



→ Geberit Xeno<sup>2</sup>



→ Geberit iCon





→ Geberit Acanto



→ Geberit Smyle



→ Geberit Selnova





## GEBERIT INSTALLATION SYSTEMS

# A DIRECT PATH TO THE SANITARY WALL

Insert, align, press shut: Geberit GIS profiles can be permanently joined with the special profile connectors extremely quickly, thus creating a complete support system quickly and without tools out of just two components.

With a dovetail groove, the Geberit GIS profiles are optimally prepared for the installation of the elements. Geberit GIS

profile connectors or Geberit GIS ratchet pins are used to securely fasten them to the prepared support system.

The Geberit GIS mounting brackets ensure that the sanitary wall is securely anchored to the building structure. Sound insulation bases made of cork ensure that the support system is effectively sound decoupled from the building.



↑  
Up to four Geberit GIS profiles can be cut to length at the same time with the chop saw.




↑  
Assembly of the Geberit GIS profiles: everything is fixed with a single click.



↑  
The Geberit GIS mounting brackets with sound insulation bases made of cork ensure that the support system is securely anchored and reliably sound decoupled.



↑  
The Geberit GIS installation elements can be fixed quickly and reliably.



← Half-height and ceiling-height installation walls and room dividers can be created in no time at all and with just a few parts when the Geberit GIS installation system is used.

The Geberit GIS installation system makes creative bathroom designs quick, easy and economical. Free-standing sanitary walls, half-height room dividers, niches and storage areas create a unique feeling of space. Tested and standards-compliant noise and fire protection are already integrated.



#### FOR UNIVERSAL USE

Geberit GIS offers very flexible applications in new construction and renovations. This means it is suitable for all construction situations, from the small shower bath to the large wellness bath, and also in the object area.

#### TOOL-FREE INSTALLATION

With tool-free installation, Geberit GIS sets the benchmark for structurally uncompromising but nonetheless rational bathroom solutions.



1 With Geberit GIS, you can realise even the most individual of room designs. 2 With Geberit GIS, bathroom facilities can be positioned just as you desire.



- More living and floor space
- Simple planning and installation
- Smaller, consistent pipe diameter
- No additional ventilation pipes
- Horizontal pipelines without slope\*



↑  
Geberit SuperTube saves space in every direction.

\* Up to 6 metres

## GEBERIT WASTE WATER DRAINAGE SYSTEMS

# DRAINING AT THE HIGHEST STAGE



### **GEBERIT HDPE THE MULTI-PURPOSE SOLUTION**

The Geberit HDPE drainage system delivers optimal performance. The system pipes are easily welded and guarantee not only high chemical, thermal and mechanical strength but are also absolutely watertight and possess an extraordinarily high longitudinal strength. Geberit HDPE pipes can even be installed in concrete. Geberit HDPE is ideal for prefabrication. With the majority of work carried out in the workshop, the installation requires just a few simple connections on-site. The light weight of HDPE pipes allows the transport of full assemblies from the workshop to where they are required.

#### **REASONS FOR GEBERIT HDPE:**

- Resistant to impact and highly flexible
- Completely leak-proof
- Resistant to chemicals and high temperatures
- Wide range of diameters
- Cast in concrete possible
- Easy to prefabricate away from site



### **GEBERIT SUPERTUBE THE SPACE-GAINING SYSTEM**

The Geberit SuperTube technology is based on the perfect interplay between four system components. Three clever fittings coupled with the tried-and-tested Geberit HDPE discharge pipe with its high load-bearing capacity combine to create an innovative hydraulic solution that also brings clear additional benefits. These components are permanently welded to ensure a tight connection in the long term.

#### **GEBERIT SUPERTUBE PROS:**

- Best solution for high-rise buildings
- Up to 40% more living and floor space
- Horizontal pipelines without slope\*
- Compatible with Geberit HDPE & Silent-db20
- Simple planning and installation
- Smaller, consistent pipe diameter
- No additional ventilation pipes
- Economic alternative to conventional discharge stacks



### **GEBERIT SILENT-DB20 MUTED SOUNDS**

Geberit Silent-db20 has very good soundproofing properties because of its significantly increased mass. The product is made of mineral reinforced HDPE. The material is UV-resistant due to 2% soot, recyclable, can be welded with Geberit HDPE and its chemical characteristics are like HDPE. The ribs have a vibration dampening effect and reduce the vibration of the pipe and therefore the emission of airborne sound.

#### **THE SOUND OF SILENCE:**

- The Geberit Silent-db20 has the same qualities like Geberit HDPE
- Outstanding sound insulation
- System with numerous dimensions and fittings
- Hydraulically optimised fittings
- Safe and permanent connection

## GEBERIT ROOF DRAINAGE SYSTEM

# THE EFFECTIVE RAIN SOLUTION




### NOT AFRAID OF CATS AND DOGS


The Geberit Pluvia roof drainage system includes roof outlets, pipes and fittings made of Geberit HDPE. Unlike conventional roof drainage methods, the Geberit Pluvia system functions as a syphonic system. The pipeline fills completely as rapidly as possible and creating a negative pressure. The water is drawn away by suction and not allowed to drain away constantly. This also ensures an improved self-cleaning function.

The system is cost-effective as smaller pipe diameters can be applied and the Geberit Pluvia system uses significantly fewer stacks and less underground pipes. The Geberit Pluvia roof outlets are linked together directly under the roof with a non-sloping collector pipe. Large roof areas can therefore be drained through a single discharge stack.

This simplifies planning and reduces construction time, and it enables planners and architects to go new ways in planning and development of drainage solutions. There is a wide range of Geberit Pluvia outlets available, allowing the connection with every roof material. They can also be transformed into emergency outlets with an additional installation kit.



↑  
Conventional roof drainage system



↑  
Geberit Pluvia syphonic roof drainage system

### 10 GOOD REASONS TO GO FOR GEBERIT PLUVIA

- Wide range of applications
- Space-saving
- Less downpipes
- Cost-saving installation
- Less work on-site
- Functions as a syphonic system
- Large areas can be drained through a single discharge stack
- Small pipe diameter
- Less underground pipes, less manholes
- Outlets for all roof types



- Over 35 years of experience
- For roofs of factories, warehouses, shopping centres, airports, hotels, sport centres etc.
- High reliability and outstanding durability
- Low system weight





- Optimally coordinated system with fittings, pipes and pressing tool with pressing jaw or collar
- Safety during processing: non-pressed connections immediately apparent
- Strictly implemented quality requirements ensure permanently tight connections
- Flexibility and economic efficiency through systems that can be combined with one another

## GEBERIT SUPPLY SYSTEMS

# SIMPLY CONNECTED



### ↑ **DON'T STRESS. PRESS. EASY ASSEMBLING**

Safe and long-lasting connections are the primary goal in all areas of pipe installation. In addition, a quick and easy installation is important to the plumber. The pressing systems Geberit Mapress and Geberit Mepla meet these requirements perfectly. Transitions between different product materials and systems can be realised without any problems thanks to the numerous adapters. For example, in heating installations, Geberit Mapress Carbon Steel can be used for the basement distribution and the riser pipe and the Geberit Mepla multilayer pipe system for the radiator connection – no need for complicated sealing with hemp or the use of a threaded adapter. Just insert, press, done.



### ↑ **GEBERIT MAPRESS THE ALLROUND TALENT**

When it comes to hygiene, temperature, pressure or aggressive liquids, you will always make the right decision by choosing Geberit Mapress Stainless Steel, which has proven its worth well, not only in domestic installations, but also in industrial plants. Geberit Mapress Stainless Steel has obtained VdS approval as well as all relevant international approvals for use in sprinkler systems.

#### **THE ALLROUND TALENT:**

- For extreme requirements in terms of drinking water hygiene and a high load bearing capacity
- Chemical and thermal disinfection possible
- Can be used for a multitude of media using the corresponding seal rings
- Pressing indicator identifies non-pressed connections even before the pressure test
- Large assortment: 11 dimensions from 12 to 108 mm, roughly 500 fittings
- System compatibility with Geberit Mepla and the other Geberit Mapress product materials



### ↑ **GEBERIT MEPLA THE VERSATILE OPTION**

The Geberit Mepla pipe, an aluminium/PE multilayer pipe, allows for easy, safe and flexible processing, whilst also complying with high hygiene standards. The fittings ensure a high degree of safety during processing as well as reliable tightness. These characteristics make Geberit Mepla especially suited to drinking water supply and radiator connections.

#### **FAST AND FLEXIBLE:**

- Inherently stable, flexible and corrosion-resistant
- Non-pressed connections are visibly leaky
- High resistance to pressure
- Pipes and fittings hygienically sealed
- Can be chemically and thermally disinfected
- Suitable for any drinking water quality
- Adapters for all Geberit installation elements
- Adapters for quick connections to Geberit Mapress

**Geberit South East Asia Pte Ltd  
Regional Headquarters**

Aperia Tower 1  
8 Kallang Avenue, #17-09  
Singapore 339509

T +65 6250 4011  
F +65 6250 4211  
sales.sg@geberit.com

[www.geberit.com.sg](http://www.geberit.com.sg)

**Hong Kong Office**

Unit B, 11th Flr, CKK Commercial Centre,  
289 Hennessy Road, Wan Chai  
Hong Kong

T +852 2575 5960  
F +852 2575 2667  
sales.hk@geberit.com

**Malaysia Office**

Q Sentral, Level 35-02 (East Wing)  
2A, Jalan Stesen Sentral 2, KL Sentral,  
Kuala Lumpur 50470  
Malaysia

T +60 3 2731 9228  
F +60 3 2731 9399  
sales.sg@geberit.com

**Philippines Office**

Unit 4104, Regus GT Tower, 41/F  
GT Tower Building, Ayala Ave., cor dela  
Costa St., Makati City, Metro Manila, 1224  
Philippines

T: +63 2 8651 6546  
F +63 2 840 6501  
sales.sg@geberit.com

**South Korea Office**

#301 JS Building, 213-5 Nonhyun-Dong,  
Gangnam-Gu, 135-090 Seoul,  
South Korea

T +82 2 543 4166  
F +82 2 543 4123  
sales.kr@geberit.com

[www.geberit.co.kr](http://www.geberit.co.kr)

**Taiwan Office**

4F-6, No.57, Sec 1, Dunhua S. Road,  
Songshan Dist., Taipei City 10557,  
Taiwan

T +886 2 2579 8736  
F +886 2 2577 3365  
sales.tw@geberit.com

**Thailand Office**

True Digital Park West, Unit SH572, 5th level 111  
Sukhumvit Road, Bangchak, Phra Khanong,  
TH-10260 Bangkok

T +66 85 368 5829  
sales.sg@geberit.com

**Vietnam Office**

23rd Floor – E. Town Central,  
11 Doan Van Bo Ward 12, District 4,  
Ho Chi Minh City  
Vietnam

sales.sg@geberit.com



Geberit Online Catalogue